GHMVRAI Owner's Scheme

The Owner's Scheme definitions and interpretations are as per the Gulf Harbour Marine Village Residents Association Constitution.

The Owner's Scheme controls the design and colour of all dwellings, including the commercial area as part of the Marine Village and is enforceable under Rule 10 of the Constitution.

The below colour scheme, material specifications and design standards form the current "approved standards" however, approval of minor variations will not be unreasonably withheld.

All upgrades, additions and maintenance must have Body Corporate and GHMVRA Committee approval prior to the commencement of any work.

It is the sole responsibility of the applicant to ensure any works comply with Local Authority requirements.

Owner's Scheme Submission Process

- + Member completes the Owner's Scheme Application Form (available on www.ghmvra.co.nz) and submits it to their Body Corporate Secretary.
- + Body Corporate Secretary to notify their Committee for approval.
- + On approval of the application the Body Corporate Chair to sign off and forward to Crockers allan@crockers.co.nz for GHMVRAI Committee approval.
- + Crockers to notify the Body Corporate Secretary of the GHMVRAI Committee decision.

Note: No work is to start until the final approval is granted.

Non-compliance is the responsibility of the Body Corporate to resolve and feedback to the GHMVRAI Committee

GHMVRAI OWNER'S SCHEME ARCHITECTURAL SPECIFICATIONS AND RESTRICTIONS


V2 September 2023

Note. Any proposed amendments or departures must first be scrutinised and formally approved by the relevant Body Corporate and is then further subject to GHMVRAI Committee approval.

Cap d' Armarres is subject to different design standards.

ELEMENT	MATERIAL	SPECIFICATION OR RESTRICTION.
Aerials and Antennas	One sky dish/ UHF per building	Not to erect without GHMVRA Committee approval.
	No oversize communication	Note: UHF aerials work well inside roof spaces.
	attachments to roof or exterior	
	surfaces.	
Air Conditioning Units	Exterior equipment to be in a metal or	Not permitted in view of the waterway except where
Heat Pumps	timber enclosure if viewable from	specifically consented by the Body Corporate and the
	the waterway or residential fringe.	GHMVRA Committee. Applicants to consider possible
	-9	noise nuisance for neighbours.
Awnings	Fabric	As approved by GHMVRA Committee
Balconies	Concrete: 2 mtr maximum cantilever	As per GHMVRA Standard.
Doors: exterior, entry	Timber	Glass panel or lights desirable. Timber with glass panel,
court side.		Stained to GHMVRA Standard.
Doors, Garage	Timber or Metal "timber effect"	Stained or painted to GHMVRA Standard
Fencing, private garden,	Stucco, bagged brick (or stained timber	As per GHMVRA Standard and Colours.
rubbish screens	for rubbish screens)	
Gates	Marine conditions compliant.	As per GHMVRA Standard.
Glazing	Clear glass, maximum 10% tint	As per GHMVRA Standard.
Handrails, Railings,	Galvanised steel or aluminium	Painted or powdercoated to marine standards
Ballustrades etc.		GHMVRA Standard colours.
Joinery	Timber or aluminium	Stained or powdercoated to GHMVRA Standard colours.
Kerbs	Modular precast concrete	As per GHMVRA Standard.
Landscaping	Throughout site	As per GHMVRA Standard.
Lighting (exterior)		As approved by GHMVRA Committee
Mailboxes		As per GHMVRA Standard.
Paving. driveways and	As approved by Body Corporate	As per GHMVRA Standard.
entry courts.		
Paving, patios and	Ceramic tiles permitted in line with	As approved by GHMVRA Committee. Make no alterations
private gardens	Body Corporate scheme.	without consent. No obstructions to paths or residential fringe
Pergolas, Privacy Screens,	Timber or Metal	Stained or painted. Powdercoated metal to marine standards as
Shutters.		per GHMVRA Standard colours
Pools: swimming and spa	Restriction on use and location	Not permitted in view of the waterway. Landscaping plan to conceal
Roof	Clay, Monier Terracotta	35 degree pitch. Simple hip, gable or combination of both.
		Up to 15% of roof exempted. Ridge lines square with walls.
Skylights		Limited to 10% of roof
Spouting /Downpipes	Copper or approved colour plastic on	As per GHMVRA Standard
	stained timber facia boards	
Walls: Common	Solid concrete filled blocks	High standard of acoustic privacy required.
Walls: Exterior	Stucco, bagged Brick,	Painted. Maximum unarticulated length 12.5 mtrs
	Timber Weatherboards.	Deep reveals required on opening walls.
Walls: Exterior Returns	Stucco, bagged brick,	Returns required for ground floor walls at residential fringe boundary
Walls: Quayside	Timber or Stucco	As per GHMVRA Standard
Walls: Garden and retaining.	Stucco or bagged brick.	As per GHMVRA Standard

GHMVRAI APPROVED COLOUR PALETTE



GHMVRAI OWNERS' SCHEME BUILDING STANDARDS

For standard colours refer to the Colour Standards document

РНОТО	ITEM	DESCRIPTION
	Awnings	Fabric
dirink	Balconies	Concrete, maximum 2m cantilever
Arrik.	Balustrades	Painted or powdercoated to Marine Standards Or glass as approved by GHMVRA
	Belvederes	Symmetrical across face
	Birdhouses	Symmetrical across face
	Chimneys	Symmetrical across face
	Conservatories	Attached to dwellings only
	Doors - Waterway front	Timber stained to GMMVRA standard colour.
	Doors - Courtyard entry	Timber stained to GHMVRA standard colour. Lights desirable.

Doors - Garages	Timber stained to GHMVRA standard colour. Metal, painted with "timber effect".
Dormers	Symmetrical across face, GHMVRA standard colour.
Fascias	Timber stained or painted to GHMVRA standard colour.
Fencing & Gates (road & waterway frontage)	Painted or powdercoated to Marine Standard GHMVRA standard colour.
Glazing	Multi pane clear glass windows to maximum 10% tint limited to 40% of any façade
Handrails	Painted or powdercoated to Marine Standard GHMVRA standard colour.
Joinery, windows and bi- fold doors	Aluminium, Dulux Bond Rivergum 5207 Duralloy or timber painted.
Lighthouses	GHMVRA Standard.
Light Structures (waterway frontage)	GHMVRA Standard and colour standard. Must be on at night.
Mailboxes	GHMVRA Standard.

Paving, Entry Courts	as approved by Body Corporate.
Paving - Patios	Ceramic or concrete tiles, in line with Body Corporate Scheme and approved by GHMVRA.
Pergolas	Timber stained or painted. Metal painted or powdercoated to Marine Standard. GHMVRA standard colour
Railings	Painted or powdercoated to Marine Standard GHMVRA standard colour.
Roof	Monier clay tiles Terra Cotta colour or equivalent, 35 degree pitch, simple hip gable or combination of both. Up to 15% of roof exempted. Ridge lines square with building walls
Screens - Privacy	Timber louvres or trellis stained or painted, or aluminium powder coated to marine standards, standard colour
Screens - Rubbish	GHMVRA Standard as per photo.
Shutters	Timber louvres stained or painted, or aluminium powder coated to marine standards, GHMV standard colour
Skylights	Limited to 10% of roof area

THE PARTY OF THE P	Spouting / Downpipes	Copper or approved colour plastic on stained timber facia boards
	Steps	Concrete
	Walls - Common	Solid concrete or concrete filled blockwork, high standard of acoustic privacy required
	Walls - Exterior	Stucco finish, bagged brick, timber weatherboards maximum unarticulated length 12.5m, painted
	Walls - Exterior Openings	Deep reveals as approved
	Walls – Exterior Returns	Ground floor returns required at primary waterway front opening
	Walls - Retaining & Garden	Stucco over concrete or block. GHMVRA standard colour.
	Walls – Quay	GHMVRA Standard as per photo

